


Illustrated Catalogue

—OF—

PAGE MANUFACTURING CO.'S

PATENT "PAGE" COOKING STOVES




OFFICE and WORKS :

MERCER ST. (Opposite
Memorial Foyer) GEELONG.

Tel. 1503.

CATALOGUES POSTED FREE.



Distinctive Features.



THESE Famous Patent Stoves have been on the Australian market for about 20 years, and have, during that period, established an enviable reputation for durability, economy in fuel, simplicity and excellence in cooking.

The various sizes and models are faithfully illustrated throughout this Catalogue, and it is admitted that their appearance is unique.

Prices of Stoves are shewn in Price List, whereas those of **Duplicate Parts**, fountains, generators, extension plates, bullnosings for shallow fireplaces, etc., will be supplied on application.

There are **Thirteen** different sizes and models of "PAGE" Stoves.

The illustration on any particular page depicts all sizes of "PAGE" Stoves described under that illustration.

Patent Cleaning Trays.

The flues of the "PAGE" Stove can be cleansed in a few moments. The soot falls on to the cleaning trays, which are removed in the same way as the ash-pan. It is not necessary to scrape out the soot with a raker, as is done with some other Stoves.

These trays in the "PAGE" are a great boon.

Patent Adjustable Grate.

By a very simple contrivance the grating can be raised and the fire brought closer to the top of fire-box in a moment. Thus grilling and boiling

See directions for use on page 10

are made easy and quick operations, even with a small fire.

The adjustable Grate is not fitted to Nos. 6, 7, 8, 9, and 10.

Open Fire.

The illustration on the cover shows the "PAGE" in use as an open fire grate, a convenience which adds considerably to the comfort of those who spend much time in a kitchen living-room on winter evenings.

Construction.

"PAGE" Stoves are made by skilled workmen, the ovens and outside casing being manufactured from heavy gauge steel. The fire-box parts and other portions are very heavy cast iron, which constitutes long life to the Stove, and saving of up-keep costs.

Fuel Saving.

Owing to its massive fire-box construction, and the facilities for regulating the grate, the "PAGE" Stove is remarkably economical in fuel, and the smaller models are thus appreciated for **Bungalow** use.

The "PAGE" saves its first cost in fuel in a short period, compared with many other stoves. We affirm that the "PAGE" will not burn more than half the fuel that some stoves of similar size require.

TESTIMONIALS.


We can furnish many of these, either personal or printed, on application.

Page Manufacturing Co.

Geelong,

Jan. 1st, 1926.

Fitted with
Patent Cleaning
Trays.



**"Page" Stove Fitted with Tubular Copper
Boiler for Hot-Water Service.**




All Two-oven Stoves can be fitted with Tubular Copper
Boiler, by which means a plentiful supply of Hot Water
may be obtained without any increase in the cost of fuel.

Estimates and all information for installing Hot Water Service
cheerfully supplied Gratis on application

Skirting can be supplied with any Stove, extra. Price on application.

ECONOMICAL, LATEST, UNIQUE.

Fitted with
Patent Cleaning
Trays.



No. 8 (42in. long, 23½in. deep, 30½in. high)

No. of Ovens	Height	Width	Depth	Cook for	Including Plate Warmer
2	14½ in.	13¼ in.	18½ in.	40 Adults	

No. 9 (48 in. long, 26in. deep, 31½ in. high)

No. of Ovens	Height	Width	Depth	Cook for	Including Plate Warmer
2	15¾ in.	15¾ in.	19½ in.	50 Adults	

No. 10 (54 in. long, 30 in. deep, 32 in. high)

No. of Ovens	Height	Width	Depth	Cook for	Including Plate Warmer
2	16 in.	17¾ in.	22 in.	80 Adults.	

The Stove without Plate Warmer is 8 in. lower than height given above.


These Three Stoves may be fitted with Tubular Copper Boiler for Hot Water Service at extra cost (see page 5)

BURNS WOOD, COAL, OR COKE.

Fitted with
Patent Cleaning
Trays.



Nos 4 & 5 are fitted
with Adjustable
Grate, and may
be used as Open
Grate when re-
quired.



No. 4 (36 in. long, 19 in. deep, 27 in. high)

No. of Ovens	Height	Width	Depth	Cook for	Including Plate Warmer
2	12½ in.	11 in.	14 in.	12 Adults	

No. 5 (39 in. long, 19 in. deep, 27 in. high)

No. of Ovens	Height	Width	Depth	Cook for	Including Plate Warmer
2	12¾ in.	12 in.	14 in.	14 Adults	

No. 6 (36 in. long, 23 in. deep, 27 in. high)

No. of Ovens	Height	Width	Depth	Cook for	Including Plate Warmer
2	12½ in.	11 in.	18 in.	20 Adults	


No. 7 (39 in. long, 23 in. deep, 27 in. high)

No. of Ovens	Height	Width	Depth	Cook for	Including Plate Warmer
2	12¾ in.	12 in.	18 in.	25 Adults	

The Stove without Plate Warmer is 8 in. lower than height given above.

**These Four Stoves may be fitted with Tubular Copper Boiler
for Hot Water Service at extra cost (see page 5)**

Fitted with Patent
Adjustable Grate and
Cleaning Trays,
and may be used as
an Open Grate
when required.



No. 1 (24 in. long, 19 in. deep, 27 in. high)

No. of Ovens	Height	Width	Depth	Cook for	Including Plate Warmer
1	13½ in.	13 in.	14 in.	6 Adults	

No. 2 (27 in. long, 19 in. deep, 28 in. high)

No. of Ovens	Height	Width	Depth	Cook for	Including Plate Warmer
1	13¾ in.	14½ in.	14 in.	9 Adults	

No. 3 (30 in. long, 19 in. deep, 28 in. high)


No. of Ovens	Height	Width	Depth	Cook for	Including Plate Warmer
1	13¾ in.	16 in.	14 in.	12 Adults	

The Stove without Plate Warmer is 8 in. lower than height given above.

Skirting can be supplied with any Stove as an extra.

BURNS WOOD, COAL, OR COKE.

Fitted with Patent
Adjustable Grate and
Cleaning Trays,
and may be used
as an Open Grate
when required.



No. 1 Boiler (30 in. long, 19 in. deep, 27 in. high)

No. of Ovens	Height	Width	Depth	Cook for	Including Plate Warmer
1	13½ in.	13 in.	13 in.	6 Adults	

No. 2 Boiler (33 in. long, 19 in. deep, 28 in. high)

No. of Ovens	Height	Width	Depth	Cook for	Including Plate Warmer
1	13¾ in.	14½ in.	14 in.	9 Adults	

No. 3 Boiler (36 in. long, 19 in. deep, 28 in. high)

No. of Ovens	Height	Width	Depth	Cook for	Including Plate Warmer
1	13¾ in.	16 in.	14 in.	12 Adults	

The Stove without Plate Warmer is 8 in. lower than height given above.

Skirting can be supplied with any Stove as an extra.

BURNS WOOD, COAL, OR COKE.

DIRECTIONS

FOR USING AND CLEANING THE

"PAGE"

PATENT STOVES.

When lighting the fire, be sure and have the grate and ash-pan free from ashes; draw out the ash-pan four or five inches, so as to ensure a draught.

BACK DRAUGHT.—To make fire draw quickly, lift damper at base of flue.

When the fire begins to draw up the flue, close this damper, and fire will draw round the Ovens.

If Ovens get too hot, close the ash-pan, thereby checking the draught.

Regulate the draught by withdrawing or closing ash-pan. If one Oven only be required hot, turn its lever at side of Oven **upward**, and the lever of the other Oven **downward**; this will stop the heat from Oven not required.

Note: Do Not Choke Fire-box with Fuel.

TO USE AS AN OPEN FIRE.

Remove the whole of the centre Hot Plate, open fire-doors (the bottom one of which forms a shelf in front of fire).

TO CLEAN.

Have the fire out, remove soot door in flue and pass flue-brush up and down the flue-pipe through the opening; then over tops of Ovens and down the sides through soot holes at ends of Hot Plate; then withdraw trays under Ovens, and empty out all soot and dirt thereon.

Note.—To ensure Best Results, always keep Stove free from Soot and Ashes. See that all piping sent with Stove is put on.

A Whisper to Careful Folk.—Pour a little kerosene down through side soot holes. Ignite the vapour so created, and the gentle explosion will dislodge and burn any soot there may be there.

To operate Adjustable Grate.—The grate will remain at either of three positions—upper, intermediate, or lower.

Lift grate suddenly to the upper or intermediate position,—the tongue underneath will follow.

To Lower the grate from this elevated position, release the tongue by slightly lifting it, and the grate will drop into its required position.



EACH OF

The "Page"

PATENT

Cooking Stoves



IS SUPPLIED WITH

FLUE BRUSH
LIFTER
RAKER
TWO SHELVES
BAKING DISH



Copper
Fountains...

Specially made to suit "Page"
Stoves, supplied according to
weight and size required.
Prices on application.

Grid Irons for use with
"Page" Stoves.

Prices on application

Digitized by:



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org
Australasia Chapter

**BUILDING
TECHNOLOGY
HERITAGE
LIBRARY**

<https://archive.org/details/buildingtechnologyheritagelibrary>

from the collection of:

Miles Lewis, Melbourne

funding provided by:

the Vera Moore Foundation, Australia

